

# TerraCard™

Spartech's PolyPrime™ line of products offers many unique brands for a variety of applications.

## BENEFITS

- UV Printable - Screen, Digital & Offset
- Lower price than styrene and polycarbonate
- Improved processing
- Strong resistance to environmental stress cracking
- Won't crack, break, become brittle or discolor
- Improved material stiffness (similar to styrene)
- Low minimum order size
- Custom sizes and thicknesses
- Natural mineral reducing fossil fuel content
- Recyclable plastic
- Lower cost and weight
- No Toxic/Hazardous Content
- Material Lay Flat



## FEATURES & BENEFITS KEY

Improved Benefit over Styrene  
Similar Characteristic to Styrene



Call 800-428-0840 or email [sales@spartech.com](mailto:sales@spartech.com) to order these products.

CONTACT US →

FOLLOW US:



VISIT US →

## TerraCard™ Specifications

<b>Order Size</b>	2000 lb min		
<b>Appearance</b>	White		
<b>Gauge</b>	0.012 - 0.060		
<b>Opacity Range</b> (based on 0.015G)	83 - 95%		
<b>Roll Stock</b>	Web Width Min	12"	
	Web Width Max	48" (may vary based on gauge)	
<b>Roll Diameter</b>	Minimum	12"	
	Maximum	34"	
<b>Core Size</b>	6" core		
<b>Sheet Stock</b>	Width Min	12"	
	Width Max	52" (may vary based on gauge or finish)	
	Length Min	24"	
	Length Max	100"	
<b>Surface Treat</b>	Corona	2 sides	Greater than 45 dyne level
<b>Surface Finish</b>	PolyLux	Dull Smooth	

## TerraCard™ Typical Physical Properties

For detailed physical properties information on this branded product, please contact your sales representative or go to [spartech.com](http://spartech.com) to request materials be sent to you.



Spartech is a U.S. based company.

1414 Crawford Drive., Crawfordsville, IN 47933 • 800-428-0840 • Fax: 800-955-0053 or 573-335-5661 • [www.spartech.com](http://www.spartech.com)

Copyright ©2021, Spartech, LLC. Spartech makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Spartech makes no warranties or guarantees respecting suitability of either Spartech's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. SPARTECH MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or product reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.